

James

An Essay  
on  
Amenorrhoea

L. M. Fidler-

admitted March 20. 1819

For Copy

or

Transcribe

Vol. 10.

at the end of the



Gentlemen

As the laws of this University require  
a dissertation from every candidate  
for Medical honors, I offer this for  
inspection but I must acknowledge that  
nothing new or original will be found  
in it and hope that its being the  
production of a juvenile mind, will  
apologise in some measure for its  
imperfections

The second  
healthy from  
lived, col  
permea  
aprop  
to maintain  
Lectures  
as being the  
of the north  
and in the  
therein and  
see, in once  
the teacher  
by logaster  
of the be  
historical  
marly go  
treatment.  
I hope, for  
cases, and  
and longer  
the man  
fired, to  
the conclusion



That secretion from the vessels of the uterus of a healthy female, which takes place every month, is termed, catamenial or menses, and upon the regular recurrence of which, the health of women essentially depends. The period at which young women begin to menstruate, is very different in different countries. Between the Tropics, girls begin to menstruate so early as nine, ten, or twelve years of age, in the colder regions of the north, not until they are upwards of seventeen, and in temperate climates, as in this country, between thirteen and fourteen. The first visitation of the menses, in most females is announced by frequent Headaches, pain in the back, loins, and hypogastric region, soreness and distention of the breasts, feverish symptoms, and various hysterical affections; these however, most commonly go off without requiring any particular treatment. In our climate, between the ages of forty five and fifty, the menstrual discharge ceases suddenly, in others it returns after longer and longer periods, and goes off, or gradually. The quantity discharged, at each menstrual period, is also influenced by climate and the constitution, so that what in a cold coun-

they would  
 may be  
 sending the  
 pa. money  
 ought to  
 they should  
 economy  
 of what  
 "penand  
 after the  
 was also  
 to Gault  
 then did  
 considered  
 on the  
 somewhat  
 the dip  
 to encour  
 many re  
 one most  
 time w  
 of the me  
 -stead  
 how; to  
 no legu

try would be deemed excessive, in a hot climate may be no more than is natural. In our country the usual quantity is from four to six ounces. During this evacuation women ought to be as quiet as practicable.

They should be, particularly at this time extremely chaste. The statement by Morrey of what he supposed the Lords said, +  
"women should not touch any thing after this issue for six or seven days, was designed to ensure greater attention to chastity."

These scolding remarks, are merely to be considered as preliminary to observations on the morbid suspension of this natural evacuation, which will be the subject of this dissertation.

Menorrhoea is a malady of frequent occurrence, and sometimes baffles the skill of our most eminent practitioners. By this term we are to understand an absence of the menses. The interruption of the menstrual flux, is to be considered as of two kinds; the one being, when the menses do not begin to flow at that period of life

[illegible]

at which they usually appear, and the other being that, when, after they have repeatedly taken place for some time they are from other causes than pregnancy or lactation cease to return, at their usual periods. The former of these is named the retention; the latter the suppression of the menses. I shall not give in this essay any history of the different Hypotheses, of the proximate cause of the menses suffer it to say, that most authors, speak of menstruation as if it were a real hemorrhage, whereas the fact is known, to be otherwise. It is now well ascertained, that the menses are the product of a secretion, as was proven by Dr Hunter, whereby, the red globules and Serum of the Blood, are separated from the fibrina: the former ejected, the latter retained. If the first species of Amenorrhoea, my observations will be limited. I intend to confine myself to suppression, and give in as concise a view of the practice, suitable to the restoration of this secretion, as the subject will admit. The causes of retention are a want of energy in the system, or in the uterine vessels, or a malformation of the

18  
 19  
 20  
 21  
 22  
 23  
 24  
 25  
 26  
 27  
 28  
 29  
 30  
 31  
 32  
 33  
 34  
 35  
 36  
 37  
 38  
 39  
 40  
 41  
 42  
 43  
 44  
 45  
 46  
 47  
 48  
 49  
 50  
 51  
 52  
 53  
 54  
 55  
 56  
 57  
 58  
 59  
 60  
 61  
 62  
 63  
 64  
 65  
 66  
 67  
 68  
 69  
 70  
 71  
 72  
 73  
 74  
 75  
 76  
 77  
 78  
 79  
 80  
 81  
 82  
 83  
 84  
 85  
 86  
 87  
 88  
 89  
 90  
 91  
 92  
 93  
 94  
 95  
 96  
 97  
 98  
 99  
 100

organs of generation. Dr Cullen considers  
retention of the menses, to depend on a  
diseased state of the ovaries, whilst Professor  
Hamilton, refers it to a depraved state of the  
elementary canal. The retention of the menses  
in young women, is frequently preceded  
or accompanied, by symptoms of chlorosis,  
as depraved appetite, craving chalk plaster,  
yellow countenance, edema of the legs, the  
skin under the eyes is puffey and of  
a lead colour, palpitations, pulse feeble,  
faintness, disinclination to motion, bowels  
costive, languor, and fullness of the  
breast &c.

The indication of cure, in this species is  
obvious. It is, to restore tone to the system  
in general, and to the uterus in particular.  
The tone of the system is to be restored  
by exercise in the pure air, dancing, ri-  
ding on horseback, or in a carriage, the warm  
and cold bath, at the same time tonics,  
such as cinchona, sturuba, quassia, gen-  
tian, and also the preparations of iron,  
such as chalybeate waters, tincture of ma-  
rals iron or carbonate of iron. These

room  
 of an  
 he can  
 suggest  
 the  
 back  
 water  
 down  
 Penner  
 apple  
 the  
 been  
 the  
 going  
 cha  
 his  
 the  
 the  
 town  
 I  
 occur  
 the  
 of  
 last



remedies as a general rule, are to be preceded by an emetic or a purgative, costing, if not the cause, as has been supposed, by a late ingenious writer, is a constant attendant, of this disease, and must be removed.

Barbarities are never to be lost sight of in the treatment of amenorrhoea, and after their administration, tonics come in admirably. Removal to a warm climate has been successful, when other means have failed.

The external remedies the following have been recommended. pediluvium. Blisters to the sacrum, and thighs— as near to the groins as possible, and if convenient a change from a life of celibacy, from this change the uterine organs are excited into action. Having considered the disease, when accompanied with symptoms of acidity, I shall next treat of it when attended with febrile symptoms, occurring in robust and florid girls. In the treatment of which I shall be brief. Drawing, low diet, moderate exercise, bathing the feet and legs in warm water, and the last, though not the least in point of

heavy  
 of the  
 passages  
 is the  
 having  
 stables  
 suppose  
 as edge  
 getting  
 the  
 probably  
 by some  
 results,  
 the ab  
 that  
 in, st.  
 in the  
 region  
 to an  
 -tapha  
 to make  
 heat  
 the

effluvia, an cathartic. So much Gen-  
tlemen for chlorosis.

I shall next consider the latter form  
of the disease or suppression of the  
menses. As I have already mentioned,  
it is that, in which the menses after  
having been fully and regularly  
established, are suddenly suppressed.  
Suppression of the menses is caused  
by exposure to cold, particularly  
getting the feet wet, certain emotions  
of the mind, as fear, grief, anger &  
violent exertion, it is also suppressed  
by some disease, as Phthisis pulmo-  
nalis, organic derangement of  
the abdominal viscera, and various  
other affections. Its symptoms  
are, sluggishness in motion, pain  
in the head, back and uterine  
region, accompanied with dyspep-  
tic and hysterical symptoms, con-  
stipation of the bowels and fever  
together with despondency of the mind,  
heat of the skin, frequent pulse and  
flushing of the face.

The  
 to  
 I  
 eating  
 to  
 the  
 with  
 that  
 related  
 shall  
 ion  
 the  
 conduct  
 system  
 to  
 mass  
 I  
 his  
 I  
 was  
 establish  
 but  
 in  
 la  
 produ  
 many

178

The indications of cure are two, first to restore the discharge; secondly to prevent it from recurring again, by avoiding the exciting causes. That our remedies may be successful, we must accurately ascertain the condition and state of the system, with which the disease is accompanied, that the appropriate remedies may be selected; conformably to this view, I shall divide the treatment, in suppression of the menses, according as it may be attended with a debilitated chlorotic condition, or the opposite state of the system. In the first, we must resort to remedies, that are calculated to increase action. The article, I shall place at the head of the remedies is must this indication, is *Polygala l'oegea*. It was introduced into practice by Doctor Karlschoen. The root of the plant is the part employed. Doctor Chapman I am happy to say speaks highly in its favour, and is entitled to the honour of introducing it into notice, and is one of the many contributions for which, the science

*[Faint, illegible handwriting across the page]*

of power  
 to give  
 large  
 more of  
 best  
 way; p  
 and dur  
 of some  
 from d  
 short a  
 to lay  
 in per  
 phy  
 comes  
 mark  
 think  
 moving  
 the m  
 about  
 bility  
 -ears  
 his  
 it is giv  
 only  
 -four

of medicine is indebted to this simple remedy.  
 It gives it in decoction, one ounce of the  
 Sassafras mixed to a pound of water, one  
 ounce of this decoction, should be adminis-  
 tered at a time, repeated four times a  
 day; when it produces nausea it can be  
 rendered more palatable, by the addition  
 of some aromatic, as orange peel, cinna-  
 mon &c. At that time before the menstrual  
 effort is expected, it should be given in  
 as large quantities as the stomach can bear.  
 The professor of the institute and practice  
 of physic has given it in the dose of two  
 ounces every second hour; the last re-  
 mark I shall make on this article, is, that  
 I think it is an emmenagogue well de-  
 serving the notice of every practitioner.  
 The next article that has been used with  
 advantage, in amenorrhoea attended with  
 debility, is the Menispermus Sabina; it ap-  
 pears that the credit of introducing  
 this into practice, is due to the Romans.  
 It is given in the dose of ten, fifteen, or  
 twenty grains of the powdered leaves, three  
 or four times a day. That it is a

power  
 carbon  
 as presen  
 billy, t  
 Cuba  
 summer  
 geasins  
 p. p. p. p.  
 Auth  
 a top  
 the ass  
 then to  
 Hopple  
 in this  
 found  
 myisto  
 the sp  
 a capt  
 is full  
 an in  
 eating  
 to mos  
 of iron  
 than 10  
 outage



powerful stimulant cannot be denied, and is  
contraindicated in every case, when a fever  
is present, but when there exists much de-  
bility, the article is an important remedy.  
Rhubarb Tincture, is also employed as an  
emmenagogue in doses of ten or fifteen  
grains, but I am convinced we are in-  
possession of more efficacious remedies.

Cauterization is resorted to when there is  
a torpid and exhausted state of the system &  
the dose is ten or fifteen drops of the tincture,  
three times a day, to be gradually increased.  
Phosphorus, in minute doses has been used  
in this disease, and no doubt, will be  
found a valuable remedy - in its ad-  
ministration however caution is necessary.  
The Spiritus Ferulaceus is also used, it is  
adapted to those cases attended with debility.  
To fulfil the same indications tonics are  
an indispensable, they are useful by al-  
leviating the debility, which causes the disease;  
the most efficacious are the preparations  
of Iron also Peruvian Bark, Colchic, ger-  
man &c. A change of air is also ad-  
vantageous together with an invigorating

d.t.

statistic

prob

of space

a de ppe

scale

and ph

tous a

a count

giving

in acco

How

to app

'sply

these a

worth

non

but wh

O procu

a uncor

is acou

the system

further

together

body

det. Guaiacum officinale. Dr DeWitt became  
aspartified from frequently failing with the  
usual emmenagogues; he tried the Tinctura  
of Guaiacum in the dose of a tea spoon full  
and speaks of it in the highest terms.

Scale corruption this will frequently suc-  
ceed when others fail. I have used it several  
times and in every instance with evidently  
advantage, the dose is fifteen or twenty  
grains in powder, or it may be exhibited  
in solution.

About the time when the menses are expected  
to appear, it is frequently of advantage to  
apply stimulents to the region of the uterus.

These are the principal remedies that are  
resorted to in cases of amenorrhoea; many  
more might be added of minor consequence  
but which I deem unnecessary to enumerate.  
I proceed next to the second division of  
Amenorrhoea? (suppression) or when the disease  
is accompanied with a febrile condition of  
the system. Here the pulse is action, face  
flushed, pains in the back and head,  
together with a sensation of fullness of the  
body. Here the lancet is by all means

to be so  
 serious  
 the infla  
 aris an  
 it is the  
 do not c  
 it has g  
 you ab  
 at the p  
 princip  
 to of p  
 does is  
 it power  
 of Calom  
 strength  
 I cannot  
 copying  
 I hope  
 in touch  
 in lect  
 friendship  
 to have  
 a verbal  
 from a  
 not fair

to be employed, it obviates the danger of  
 excessive discharges of blood, and also opens  
 the inflammatory action, as auxiliary cath-  
 artics are to be used of those the Hæmorrhoids  
 Stige has been long employed, Dr. Cullen  
 does not think much of it, though of late  
 it has gained much credit. it is to be  
 given about the time the menses are expected  
 at the same time we must employ the  
 semicarpium: Electricity is frequently found  
 to be of great utility and deserves a trial  
 It is not to be omitted as a cathartic  
 its power is increased by the addition  
 of Calomel, antimonial and the saline  
 draught are also to be employed.

I cannot conclude this dissertation, without  
 expressing my sincere thanks to the Medical  
 Professors of this University, for the useful  
 instruction which I have received from  
 their lectures, and the many marks of  
 friendship, politeness and attention  
 I have experienced, during the  
 several courses, I have attended  
 from all of them, which has  
 not failed to excite in me, the

